


# 43" LED FHD Monitor

MW3243-E



## Key Features

- Covered with Tamper-proof metal housing, no radiation
- LED backlight technology with full HD 1920×1080
- High fidelity digital processing, brilliant and vivid video
- Wide view of field:178°(H)/ 178°(V)
- User-friendly operation menu, which is simple to operate
- Lower power consumption and long life cycle
- Adaptively recognize signal
- VESA stand bracket
- Support abundant interfaces

## Specifications


Model	MW3243-E
<b>Display</b>	
Display Type:	LED Backlight
Screen Size	43"
Pixel Pitch(mm)	0.4902 x 0.4902
Max Resolution	1920×1080
Brightness	300 cd/m <sup>2</sup>
Contrast	1200:1
Response Time	8ms
color	16.7M
Viewing Angle	Horizontal 178°, Vertical 178°
<b>Interface</b>	
VGA	1
HDMI	1
DVI	1
Audio	1
<b>Audio</b>	
Audio Input	1, 3.5 mm mini-jack
Speaker	2×3W
<b>OSD</b>	
Multi- Language	12 (English, French, German, Italian, Simplified Chinese, Espanol, Portuguese, Russian,Korean,Nederlands,Turkic,PolSKI)
<b>Mounting</b>	
VESA	400×300 , 400×400
<b>General</b>	
Power supply	AC 100~240V, 50~60Hz
Consumption	<80 W(on) <1W(Standby)
Operation Temperature	0°C ~ 40 °C
Operating Humidity	20%~80% (No Condensation)
Storage Temperature	-20°C ~ 60°C
Storage Humidity	10%~85% (No Condensation)
Dimension (W×H×D)	994mm × 586 mm × 50 mm
Weight:	27.5
<b>Accessory</b>	
Standard	HDMI cable, Power cable ,Remote control, Quick Guide

Optional

Hanging bracket, Pedestal

## Appearance

## Dimensions





---

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2017 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.